

**RACAN RAPID**  
Paste bait containing 4%w/w of alphachloralose  
cas N° 15879-93-3

**RACAN**  
**RAPID PASTE**

**Authorisation No:** GB-2014-0870-1-0009 and NI-2014-0870-1-0009

**Authorisation holder:** Lodi-UK Building 69, Third Avenue, Pensnett Trading Estate, Kingswinford, West Midlands DY6 7FD  
Lodi SAS Parc d'Activités des Quatre Routes, 35390 Grand-Fougeray, France

**User category:** For Non-professional use only.

**Field of use:** For Indoor use only.

**Application method:** Ready-to-use bait in sachets to be used in tamper-resistant bait stations

Tamper-resistant bait stations must be:

- Strong enough to prevent entry or destruction by dogs.
- Strong enough to prevent entry or destruction by children under six years of age using hands, feet or objects reasonably expected to be available in the use area (e.g. household objects, toys etc)
- Lockable or sealable so that children and dogs cannot gain access through the opening or mechanisms used to fill the bait compartments.

**Target organism:** *Mus musculus* (House mouse), (Adults and Juveniles)

**Application rate(s) and frequency:** Low infestation: 5 g to 20 g of bait in a mouse bait station. Bait stations every 5 metres.

High infestation: 5 g to 20 g of bait in a mouse bait station. Bait stations every 3 metres.

**Instructions for use:** Do not open the sachets. Wash hands and exposed skin before meals and after use. Prevent access to bait by children, birds and non-target animals (particularly dogs, cats, pigs and poultry).

Baits must be securely deposited in a way so as to minimize the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away. Bait should be laid for periods of at most 7- 10 days. Search for and remove dead rodents at frequent intervals during treatment, at least as often as when baits are checked and/or replenished. Due to the action of this rodenticide this may need to be as often as every few hours. Dispose of dead rodents in accordance with local requirements. Poisoned rodents should be double-bagged using plastic bags and either disposed of in a household waste bin with a secure lid to prevent access of wildlife or pets or collected by a specialist waste contractor or the local authority.

**Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment.**

If exposed, contact immediately a poisoning control centre or a doctor and describe the situation (give information on the label and assess the exposition rate). If inhaled: breathe fresh air and keep at rest. If contact occurs with skin: Remove contaminated clothes and wash skin with soap and rinse continuously with water. Do not use solvents or thinners. If a contact occurs with eyes: Wash continuously under a trickle of water (tepid if possible) for several minutes, keeping eyelids open under the trickle of water. If swallowed: Do not induce vomiting. Whatever the quantity of the product ingested, do not eat and do not drink. Lay the victim in the recovery position and protect them against injury from sudden movements and convulsion. Monitor breathing. Follow the doctor's advice. Note to doctor: the product RACAN RAPID PASTE contains a depressant and convulsant of the nervous system. Bronchial congestion is rapid. The treatment is symptomatic, there is no specific antidote.

**Instruction for safe disposal of the product and its packaging:**

Dead rodents and bait found outside bait points should be disposed of using protective gloves. Remove all baits after treatment and dispose of them in accordance with local requirements. Waste bait should be double bagged in plastic bags and disposed of in a household waste bin with a secure lid to prevent access of wildlife or pets or taken to a civic amenity site. For information on civic amenity sites contact the local authority. Lot No. and Expiry Date: See pack

**LodiUK**

**Marketed by LODI UK Limited:**  
Building 69, Third Avenue, Pensnett Trading Estate, Kingswinford,  
West Midlands DY6 7FD Tel: 01384 404242 Email: sales@lodi-uk.com  
[www.lodi-uk.com](http://www.lodi-uk.com)

**e 2x 10g**  
Pre-baited Stations

E-674/c



**RACAN RAPID PASTE**

Alphachloralose (15879-93-3) : 4% w/w

**Warning, H410 Very toxic to aquatic life with long lasting effects.**

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container in accordance with applicable regulations.



REFILLABLE PRE-BAITED  
**RACAN RAPID MOUSE STATION**  
WITH KEY INCLUDED

Once the bait stations have been used you can either dispose of them or refill with Racan Rapid Sachets as below:



**1**

Unclip the key from the side of the bait station.



**2**

Place the 2 points of the key into the holes at the front and press firmly.



**3**

Place one or two sachets of bait in either corner of the bait station on top of the three prongs and close lid firmly. The bait remains secured within.

Place station where there is mouse activity.

**RACAN**  
**RAPID PASTE**

**LodiUK**

**RACAN**  
**RAPID PASTE**



ADVANCED  
**MICROENCAPSULATION**  
TECHNOLOGY

**RACAN Rapid with patented microencapsulation technology.**

RACAN Rapid's advanced breakthrough technology ensures mice hit a lethal dose from as little as a mouthful. The effects of immobilisation are almost immediate sending mice into a peaceful sleep before their untimely death.

Alphachloralose targets mice fast, formulated to control in hours, unlike widely used anticoagulant baits which take days before the effects are felt.

This pack contains:  
**2 pre-baited, tamper resistant and reusable bait stations with attached key so you can buy RACAN RAPID refill sachets for future eradication.**

UFI: 10X4-3WNF-800R-KUCK



0 700461 822837 >

# PRE-BAITED MOUSE KILLER STATIONS

ADVANCED  
**MICROENCAPSULATION**  
TECHNOLOGY

**TARGETS MICE FAST**  
FORMULATED TO CONTROL MICE IN HOURS!

**2**  
**REFILLABLE STATIONS**

