

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law SDS Reference Number: 000199
Issue date: 11/10/2022 Revision date: 07/03/2025 Supersedes version of: 11/10/2022 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

 Product name
 : RACAN FORCE

 UFI
 : 7NT2-0072-900J-JA5W

Type of product : Biocidal products (e.g. Disinfectants, pest control)

Product group : End product
Other means of identification : Reduced Nuosept

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use

Use of the substance/mixture : Rodenticides

Function or use category : Ready to use Rodenticide containing 25ppm Brodifacoum.

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Lodi UK Limited Building 69 Third Avenue Pensnett Trading Estate DY6 7FD Kingswinford United Kingdom T +44 (0)1384 404 242

# 1.4. Emergency telephone number

Emergency number : +44 (0)1384 404 242

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity – Repeated exposure, Category 2 H373 Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS08

Signal word (CLP) : Warning

Contains : brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1-

naphthyl)coumarin

Hazard statements (CLP) : H373 - May cause damage to organs (blood) through prolonged or repeated exposure.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions.

P262 - Do not get in eyes, on skin, or on clothing.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P314 - Get medical advice/attention if you feel unwell.

P404 - Store in a closed container.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with national regulations.

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one (2634-33-5), 2-OCTYL-2H-ISOTHIAZOL-

3-ONE (26530-20-1). May produce an allergic reaction.

Extra phrases : Use of protective gloves is required for Professional users only.

Keep away from food, drink and animal feeding stuffs.

The most relevant P Phrase statements based on Pack Size and End User are on product labels. Additional P Phrase statements are included on the SDS for information only.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SUCROSE substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-50-1 EC-No.: 200-334-9	≥ 5 – < 10	Not classified
PROPYLENE GLYCOL substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	≥ 1	Not classified
2,2',2"-NITRILOTRIETHANOL substance with national workplace exposure limit(s) (CZ)	CAS-No.: 102-71-6 EC-No.: 203-049-8 REACH-no: 01-2119486482- 31	< 1	Not classified

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 1	Acute Tox. 4 (Oral), H302 (ATE=597 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (Active substance (Biocide))	CAS-No.: 56073-10-0 EC-No.: 259-980-5 EC Index-No.: 607-172-00-1	<1	Acute Tox. 1 (Oral), H300 (ATE=0.5 mg/kg) Acute Tox. 1 (Dermal), H310 (ATE=5 mg/kg) Acute Tox. 1 (Inhalation), H330 (ATE=0.005 mg/l) Acute Tox. 1 (Inhalation:dust,mist), H330 (ATE=0.005 mg/l) Repr. 1A, H360D STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
2-OCTYL-2H-ISOTHIAZOL-3-ONE substance with national workplace exposure limit(s) (AT, DE, SI, MK, CH)	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	<1	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.76 mg/l/4h) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) EUH071
DIETHANOLAMINE substance with national workplace exposure limit(s) (CZ)	CAS-No.: 111-42-2 EC-No.: 203-868-0 EC Index-No.: 603-071-00-1 REACH-no: 01-2119488930- 28	< 1	Acute Tox. 4 (Oral), H302 (ATE=1600 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361fd STOT RE 2, H373

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (Conc.)
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0.05 ≤ C ≤ 100) Skin Sens. 1; H317
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4- biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (Active substance (Biocide))	CAS-No.: 56073-10-0 EC-No.: 259-980-5 EC Index-No.: 607-172-00-1	(0.002 ≤ C < 0.02) STOT RE 2; H373 (0.003 ≤ C ≤ 100) Repr. 1A; H360D (0.02 ≤ C ≤ 100) STOT RE 1; H372
2-OCTYL-2H-ISOTHIAZOL-3-ONE	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : This product contains an anticoagulant substance. If ingested, symptoms, which may be

delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine. Antidote: Vitamin K1 administered by

medical/veterinary personnel only. . Seek medical attention immediately.

First-aid measures after inhalation : Inhalation unlikely. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. and then. Wash skin with soap and water.

First-aid measures after eye contact : Rinse eyes with eye-rinse liquid or water, keep eyes lids open at least 10 minutes. First-aid measures after ingestion : Rinse mouth out with water. Never give anything by mouth to an unconscious personal content of the co

: Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. If swallowed, seek medical advice immediately and show this container

or label

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Place under medical observation.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, Alcohol-resistant foam, Carbon dioxide (CO2). Water fog.

Unsuitable extinguishing media : Do not use water jet.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire : Control run-off water by containing and keeping it out of sewers and watercourses.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Harmful to wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance to its label.

## 6.3. Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.

07/03/2025 (Revision date) GB - en 4/15

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear Precautions for safe handling

> personal protective equipment. Wax may soften in excessive temperatures. It will not melt fully and will remain contained in bait station. Comply with the safety intructions.

Hygiene measures Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from food and drink. Keep container

tightly closed. Keep only in original container. Store locked up.

Storage area : Store away from heat. Store in a well-ventilated place.

# 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

PROPYLENE GLYCOL (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA)	10 mg/m³ particulates 474 mg/m³ total vapour and particulates
	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
SUCROSE (57-50-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Sucrose
WEL TWA (OEL TWA)	10 mg/m³
WEL STEL (OEL STEL)	20 mg/m³

# 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

**Explosive limits** 

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment. Do not exceed the occupational exposure limits (OEL).

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Red.
Odour : Slight.

Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : No data available : Non flammable. Flammability (solid, gas) : No data available Vapour pressure Relative vapour density at 20°C : No data available : No data available Relative density : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : Not applicable : No data available Viscosity, dynamic : No data available Explosive properties Oxidising properties No data available

: Not applicable

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### 9.2. Other information

Softening point : > 50 °C Wax becomes malleable @ 50°C and start to fuse together @ 70°C

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (ilinalation)	Not classified (based off available data, the classification chieffa are not met)	
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)		
LD50 oral rat	< 5 mg/kg	
LD50 dermal rat	7.48 mg/kg	
LC50 Inhalation - Rat	3.05 µg/l	
DIETHANOLAMINE (111-42-2)		
LD50 oral rat	1600 mg/kg	
2,2',2"-NITRILOTRIETHANOL (102-71-6)		
LD50 oral rat	6400 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg No deaths occurred at this concentration	
PROPYLENE GLYCOL (57-55-6)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	634 mg/l/4h	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
LD50 oral rat	597 mg/kg	
LD50 dermal rat	> 2000 mg/kg	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)		
LD50 oral rat	550 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	0.76 mg/l/4h	
SUCROSE (57-50-1)		
LD50 oral rat	29700 mg/kg	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)	
DIETHANOLAMINE (111-42-2)		
рН	11 – 12 105g/l at 25C	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)	
DIETHANOLAMINE (111-42-2)		
рН	11 – 12 105g/l at 25C	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
DIETHANOLAMINE (111-42-2)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	: May cause damage to organs (blood) through prolonged or repeated exposure.	
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bro	mo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
STOT-repeated exposure	Causes damage to organs (blood) through prolonged or repeated exposure (if swallowed).	
DIETHANOLAMINE (111-42-2)		
LOAEL (oral, rat, 90 days)	14 mg/kg bodyweight/day 91 days	
LOAEL (dermal, rat/rabbit, 90 days)	32 mg/kg bodyweight/day 91 days - Rat	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
RACAN FORCE		
Viscosity, kinematic	Not applicable	
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bro	mo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
Viscosity, kinematic	Not applicable	
DIETHANOLAMINE (111-42-2)		
Viscosity, kinematic	356.335 mm²/s	

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met)

(chronic)

chronic)		
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)		
LC50 - Fish [1]	0.042 mg/l	
EC50 - Other aquatic organisms [1]	0.25 mg/l	
DIETHANOLAMINE (111-42-2)		
LC50 - Fish [1]	460 mg/l Oncorhynchus mykiss (rainbow trout)	
EC50 - Crustacea [1]	30.1 mg/l Ceriodaphnia dubia (water flea)	
ErC50 algae	9.5 mg/l Pseudokirchneriella subcapitata (green algae), 96 hours	
2,2',2"-NITRILOTRIETHANOL (102-71-6)		
LC50 - Fish [1]	> 11800 mg/l Pimephales promelas (fathead minnow)	
EC50 - Crustacea [1]	609.9 mg/l Ceriodaphnia dubia (water flea)	
EC50 72h - Algae [1]	512 mg/l alga Scenedesmus sp	
NOEC chronic crustacea	16 mg/l 21 days, Daphnia magna (Water flea)	
PROPYLENE GLYCOL (57-55-6)		
LC50 - Fish [1]	40613 mg/l	
EC50 - Crustacea [1]	340 mg/l Daphnia magna	
EC50 96h - Algae [1]	19000 mg/l	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
LC50 - Fish [1]	0.74 mg/l	
EC50 - Crustacea [1]	2.44 mg/l	
2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)		
LC50 - Fish [1]	0.18 mg/l	
LC50 - Fish [2]	0.047 mg/l	
EC50 - Crustacea [1]	0.32 mg/l	
EC50 - Crustacea [2]	0.107 ppm	
ErC50 algae	0.084 mg/l	
NOEC chronic fish	0.085 ppm	
NOEC chronic crustacea	0.74 ppm	

# 12.2. Persistence and degradability

RACAN FORCE		
Persistence and degradability	Not rapidly degradable	
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)		
Persistence and degradability	Not rapidly degradable	
DIETHANOLAMINE (111-42-2)		
Persistence and degradability Readily biodegradable.		
Biochemical oxygen demand (BOD)	885 mg/g	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

DIETHANOLAMINE (111-42-2)		
Chemical oxygen demand (COD)	1352 mg/g	
Biodegradation	93 % 28 days	
2,2',2"-NITRILOTRIETHANOL (102-71-6)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	97 % 28 days	
PROPYLENE GLYCOL (57-55-6)	PROPYLENE GLYCOL (57-55-6)	
Persistence and degradability	Readily biodegradable.	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
Persistence and degradability	Not rapidly degradable	
2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)		
Persistence and degradability	Not rapidly degradable	
SUCROSE (57-50-1)		
Persistence and degradability	Not rapidly degradable	

# 12.3. Bioaccumulative potential

DIETHANOLAMINE (111-42-2)		
Partition coefficient n-octanol/water (Log Pow)	-2.46 at 25C	
Bioaccumulative potential	Low bioaccumulation potential.	
2,2',2"-NITRILOTRIETHANOL (102-71-6)		
Bioconcentration factor (BCF REACH)	< 3.9 Cyprinus carpio (Carp), 42 days	
Partition coefficient n-octanol/water (Log Pow)	-2.3 at 25C	
Bioaccumulative potential	Low bioaccumulation potential.	
PROPYLENE GLYCOL (57-55-6)		
Bioaccumulative potential	Low bioaccumulation potential.	

# 12.4. Mobility in soil

DIETHANOLAMINE (111-42-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 Estimated
2,2',2"-NITRILOTRIETHANOL (102-71-6)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	10 Estimated
PROPYLENE GLYCOL (57-55-6)	
Ecology - soil	Soluble in water.

# 12.5. Results of PBT and vPvB assessment

Component		
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Component	
DIETHANOLAMINE (111-42-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2,2',2"-NITRILOTRIETHANOL (102-71-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations
- $: \ \ \text{hazardous or special waste collection point, in accordance with local, regional, national}$

and/or international regulation.

Denmark

Hazardous Waste Group : European waste catalogue (EWC) Waste code 20 01 19\*: pesticides

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

# **Inland waterway transport**

Not applicable

# Rail transport

Not applicable

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Triethanolamine (102-71-6).

### **Biocide Regulation (528/2012)**

Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products)

Type of product (Biocide) : 14 - Rodenticides

Authorisation number

Contains : brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenylyl)- 1,2,3,4-tetrahydro-1-

naphthyl)coumarin (0.00 % (percentage))

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Abbreviations and ac	cronyms:		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disruptor		

Full text of H- and EUH-statements:		
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1	
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1	
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Full text of H- and EUI	H-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Repr. 1A	Reproductive toxicity, Category 1A	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H300	Fatal if swallowed.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H360D	May damage the unborn child.	
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs (blood) through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (2634-33-5), 2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1). May produce an allergic reaction.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
STOT RE 2	H373	Calculation method

Safety Data Sheet (SDS), EU

The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product. The SDS is issued for the Great British market; please contact the Supplier for a new SDS if you are in Northern Ireland.

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law